



Construction heights of the Messe Frankfurt halls

Table of Contents

Page 2	General construction height limits – CMF, Forum, Halls 1-6
Page 3	General construction height limits – Halls 8-12

The specified construction height limits are only applicable for Messe Frankfurt's own events. Please note that individual events may have different construction height regulations.

IMPORTANT: Guest events

The construction height limits in force for guest events (e.g. Achema, Frankfurter Buchmesse, CPhI etc.) must be obtained **from the organisers**. All heights must be checked on location.

Messe Frankfurt is not responsible for the accuracy of the information.

All Technical Guidelines are available for download on the Messe Frankfurt website:

<https://www.messefrankfurt.com/frankfurt/en/services.html#guidelines>

If you have any questions, please contact the Technical Event Management at Messe Frankfurt, Telefon [+49 69 75 75-59 04](tel:+496975755904), E-Mail standapproval@messefrankfurt.com.



Last updated
15.06.2024


Construction heights of the exhibition halls 1-6, CMF and Forum

Hall	Stand size up to 30 m2	Stand size over 31 m2
CMF Harmonie	4,00 m	4,50 m; by agreement
Forum 0	4,00 m *	6,00 m
Forum 1	4,00 m	6,00 m
1.1	4,00 m	4,00 m
1.2	4,00 m *	6,50 m
2.0	4,00 m *	8,00 m
Gallery	4,00 m	4,00 m
3.0	4,00 m *	8,00 m
Northern bordering area	4,00 m	6,50 m
3.1	4,00 m *	8,00 m
Western bordering area	4,00 m	5,40 m
Southern bordering area	4,00 m	5,00 m
Eastern bordering area	4,00 m	6,00 m
4.0	4,00 m *	7,00 m
Northern / Southern bordering area + Gate's	4,00 m	By agreement
4.1	4,00 m	4,00 m
4.2	4,00 m	4,00 m
5.0 **	4,00 m *	5,00 m
Hall wall east / west **	4,00 m	4,00 m
5.1	4,00 m *	8,00 m
6.0	4,00 m *	6,00 m
Niches north / south	3,50 m	4,00 m
Hall pillars	4,00 m	By agreement
Window front east	3,50 m	3,50 m
6.1	3,70 m	3,70 m
Niches north / south	3,50 m	3,50 m
6.2	3,70 m	3,70 m
Niches north / south	3,50 m	3,50 m

* The maximum construction height of 5 meters applies only to suspended components such as rigging, lighting and advertising media. These must be indented to neighboring stands by at least 1 meter.

** Hall 5.0: All hall columns have a diameter of 80 cm up to 4.83 m. After that, the column spreads conically. Hall wall east/west: All hall columns have a diameter of 80 cm up to 3.8 m. After that, the column spreads conically. **Two-storey structures** cannot be built in Hall 5.0.

There may be structural constraints in certain halls. The basic construction height is 2.50 m. Above this height, it is necessary to ensure that the rear sides of walls facing neighbouring stands are smooth and generally of a neutral colour (e.g. white or light grey).



Last updated
15.06.2024

Construction heights of the exhibition halls 8-12

Hall	Stand size up to 30 m2	Stand size over 31 m2
8.0	4,00 m *	8,00 m
Western bordering area	3,50 m	By agreement
9.0	4,00 m *	7,50 m
9.1	4,00 m	4,00 m
9.2	4,00 m	4,00 m
9.3	4,00 m	4,00 m
Galleria 0	3,40 m	4,00 m; by agreement
Galleria 1	3,50 m	5,00 m
10.0	3,00 m	3,00 m
10.1	3,00 m	3,00 m
Niches north / south	2,50 m	2,50 m
10.2	3,50 m	3,50 m
Niches north / south	3,00 m	3,00 m
10.3	3,50 m	3,50 m
Niches north / south	3,00 m	3,00 m
10.4	3,50 m	3,50 m
Niches north / south	3,00 m	3,00 m
11.0	4,00 m *	8,00 m
11.1	4,00 m *	8,00 m
12.0	4,00 m *	8,00 m
12.1	4,00 m *	8,00 m

* The maximum construction height of 5 meters applies only to suspended components such as rigging, lighting and advertising media. These must be indented to neighboring stands by at least 1 meter.

There may be structural constraints in certain halls. The basic construction height is 2.50 m. Above this height, it is necessary to ensure that the rear sides of walls facing neighbouring stands are smooth and generally of a neutral colour (e.g. white or light grey).